

1. IDENTIFICATION

Product Identifier

Product Name Slide Econo-Spray 2 Mold Release

Other means of identification

SDS # 40710-CA

Product Code 40710

Synonyms None

UN/ID No UN1950

Other Information Formula: 54924

Recommended use of the chemical and restrictions on use

Recommended Use Industrial mold release

Uses Advised Against Use only under manufacturer's instructions

Details of the supplier of the safety data sheet

Initial Supplier Address

THIS SAFETY DATA SHEET
IS NOT COMPLIANT UNLESS
CANADIAN ADDRESS IS USED

Manufacturer Address

Slide Products Inc.
430 S. Wheeling Road
Wheeling, IL 60090

Emergency Telephone Number

Initial supplier phone number Please enter Initial Suppliers Phone Number here
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid in an aerosol

Physical state Aerosol.

Odour Not determined

Classification

Skin corrosion/irritation	Category 2
Carcinogenicity	Category 1A
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1
Gases under pressure	Compressed Gas

Label Elements

Signal word

Danger

Hazard statements

Causes skin irritation

May cause cancer

Suspected of damaging fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Extremely flammable aerosol

Contains gas under pressure; may explode if heated

**Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapours/spray

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash it before reuse

If skin irritation occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a poison center or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Hexanes	110-54-3	65	-	-
Propane	68476-86-8	32	-	-
Mineral Oil	8042-47-5	2	-	-
Polydimethylsiloxane	63148-62-9	1	-	-

4. FIRST AID MEASURES

First Aid Measures

General advice	If exposed or concerned: Get medical advice/attention.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get medical advice/attention.
Skin contact	Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a doctor.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen.
Ingestion	Do NOT induce vomiting. Drink plenty of water or milk immediately. Call a doctor or poison control centre immediately.

Most important symptoms and effects

Symptoms	Irritating to mouth, throat, and stomach if ingested. Overexposure by inhalation can cause headaches, nausea, dizziness, decreased blood pressure. Exposed individuals may experience eye tearing, redness and discomfort.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Not determined.
Specific hazards arising from the chemical	Aerosol flame projection test: >18" extension at 70 F. Aerosols may rupture violently at temperatures above 120 F. Vapours may form explosive mixture with air. Pressurised container: May burst if heated.
Hazardous Combustion Products	Carbon oxides.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Special protective equipment for	Firefighters should wear self-contained breathing apparatus and full firefighting turnout

fire-fighters gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information. Collect spillage.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Place in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapours/spray. Use only in well-ventilated areas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat. Protect from direct sunlight. Do not store at temperatures above 120°F. Store away from sources of ignition. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Hexanes 110-54-3	TWA: 50 ppm TWA: 176 mg/m ³ Skin	TWA: 20 ppm Skin	TWA: 50 ppm Skin	TWA: 50 ppm TWA: 176 mg/m ³ Skin

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection	Safety glasses.
Hand protection	Protective gloves are not required, but recommended.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	Provide adequate ventilation.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state	Aerosol
Appearance	Clear liquid in an aerosol
Colour	Not determined
Odour	Not determined
Odour Threshold	Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	71 °C / 159 °F	
Flash Point	Not available	
Evaporation Rate	Faster than ether	
Flammability (Solid, Gas)	Not determined	
Flammability Limits in Air		
Upper Flammability Limits	7.5%	
Lower Flammability Limit	1.2%	
Vapour Pressure	137 mm Hg	@ 21 ° C (70 ° F)
Vapour Density	Heavier than air	
Relative Density	0.6288	(Water = 1)
Water Solubility	None	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	Not determined.	
Oxidising properties	Not determined.	

Other Information

Softening Point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk Density	No information available

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical Stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.

Hazardous Polymerisation	Hazardous polymerisation does not occur.
Conditions to Avoid	Do not puncture or incinerate cans. Avoid temperatures above 120°F.
Incompatible Materials	None known based on information supplied.
Hazardous Decomposition Products	Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact	Avoid contact with eyes.
Skin contact	Causes skin irritation.
Inhalation	Avoid breathing vapours or mists.
Ingestion	Do not ingest.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)	32,697.00
ATEmix (dermal)	4,511.00
ATEmix (inhalation-vapour)	260.26

Unknown acute toxicity No information available

Component Information

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Hexanes 110-54-3	= 25 g/kg (Rat)	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat) 4 h
Mineral Oil 8042-47-5	> 5000 mg/kg (Rat)	-	-
Polydimethylsiloxane 63148-62-9	> 24 g/kg (Rat) > 17 g/kg (Rat)	> 2 g/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity	May cause cancer.
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
STOT - single exposure	May cause respiratory irritation. May cause drowsiness or dizziness.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hexanes 110-54-3	-	2.1 - 2.98: 96 h Pimephales promelas mg/L LC50 flow-through		1000: 24 h Daphnia magna mg/L EC50
Mineral Oil 8042-47-5	-	10000: 96 h Lepomis macrochirus mg/L LC50		-

Persistence/Degradability No information available.

Bioaccumulation No information available.

Mobility .

Chemical Name	Partition Coefficient
Propane 68476-86-8	2.8
Mineral Oil 8042-47-5	6

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Improper disposal or reuse of this container may be dangerous and illegal.

14. TRANSPORT INFORMATION

TDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

IATA

UN/ID No UN1950
Proper Shipping Name Aerosols, flammable
Hazard Class 2.1

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1
Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Hexanes	X	X	X	Present	X	Present	X	X
Propane	X	X	X		X	Present	X	X
Mineral Oil	X	X	X		X	Present	X	X
Polydimethylsiloxane	X	X			X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Health Hazards

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS

Health Hazards

Not determined

Flammability

Not determined

Physical hazards

Not determined

Personal Protection

Not determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA

TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling

Maximum limit value

*

Skin designation

Issue Date: 15-Jul-2016

Revision Date: 04-Aug-2016

Revision Note: No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet